# MANISTEE CITY PLANNING COMMISSION

70 Maple Street P.O. Box 358 Manistee, Michigan 49660

# MEETING OF JULY 11, 1996

There will be a meeting of the Manistee City Planning Commission to be held on Thursday, July 11, 1996 at 7:00 P.M. in the Police Department (use Police Department entrance on Maple Street), City Hall, 70 Maple Street, Manistee, Michigan.

# **AGENDA**

I. Welcome new member John Serocki Roll Call Matters Pertaining to the General Citizenry: Π. Public Hearing: Site Plan Reviews: В. Questions, Concerns and Consideration of Matters C. Kendra Rohdy Duane Marquand 1. Ш. **Business Session:** Approval of Minutes from Last Meeting (6/6/96) Unfinished Business: B. C. Other Communications: City Update D. Reports: D.D.A. Update Zoning Board of Appeals
Site Plan Review/Historic Overlay Committees
Joint City Review/Ordinance Committee 2. 4. Pre-Manufactured Homes - Adult Foster Care E. New Business: Resolution for Jan Gavlinski 1. 2. IV. Work/Study Session: Adjournment V. Planning Commission Members cc: City Council City Council
R. Ben Bifoss, City Manager
Jon Rose, City Code Administrator
Kurt Schimdler, County Planner
Manistee News Advocate
Manistee Observer
WMATE Padia

WMITE Radio
WXYQ Radio
Jeff Mikula, Abonmarche
Dale Picardat, Community Development Officer

Julie Beardslee, Assessor

# CODE ADMINISTRATOR CITY OF MANISTEE

# MEMORANDUM

TO:

Planning Commission Members

FROM:

Jon R. Rose

DATE:

July 5, 1996

RE:

July 11, 1996 Meeting

We hope that you had a good holiday. We would like to welcome new member John Serocki who was appointed to the Commission at the July 2, 1996 Council Meeting. Congratulations go out to Jan Gavlinski for her appointment to the Fourth District Council seat. Enclosed is a letter and resolution thanking Jan for her service on the Commission.

Our meeting is scheduled for July 11th and due to the school board meeting we will hold our meeting in the Police Department. You will enter by using the Maple Street entrance to the Police Department.

On the agenda we have Kendra-Rohdy who is asking to speak to the Commission in regards to a parcel of property owned by the City adjacent to her property on 79 Poplar Street. Enclosed is a letter and a map of the area in question. Duane Marquand asked to speak to the Commission and show a video regarding the proposed Gas Pipeline.

Memos regarding a new position by the insurance company regarding skateboards are enclosed for your review.

With Jan Gavlinski being appointed to the Council we currently have one vacancy on the Commission. This may cause a problem with quorum. If you are unable to attend a meeting please call Denise as soon as possible.

You may want to think of people who would be interested in being on the Commission. Also Chairman Yoder will need to appoint a Planning Commission Member to be a representative on the D.D.A. and Historic Overlay Review Committee. Two members need to be appointed to the hoc planning committee for the M-55 property (see copy of Council Minutes enclosed). If you are interested in any of these committees please let him know.

If you have any questions, please-call me at 723-2558. We will see you at the meeting.

JRR:djm

Enclosures

70 Maple Street • P.O. Box 358 • Manistee, Michigan 49660

July 12, 1996

Janice Gavlinski 319 Lakeshore Drive Manistee, MI 49660

Dear Jan,

The City of Manistee Planning Commission would like to Congratulate you on your appointment to the City Council. It is with regret that the Planning Commission accepts your resignation.

During the July 11, 1996 meeting a resolution was passed by the Planning Commission to honor you for your service. The list of Sub-committees and the extra projects you have volunteered for is extensive, your positive attitude and dedication to the Commission will be missed. Please accept this resolution with the heartfelt thanks of the Planning Commission.

Our best wishes go out to you and your family and we look forward to working with you in your new capacity as a Member of City Council.

Sincerely,

CITY OF MANISTEE PLANNING COMMISSION

Roger Yoder Chairman

RY:dm

**Enclosures** 



# Janice Gavlinski

WHEREAS, Janice Gavlinski has served on the City of Manistee Planning Commission from July 5, 1994 to June 18, 1996, and

WHEREAS, Jan has served as the D.D.A. Liaison since November of 1995, and

WHEREAS, Jan has been active on other Sub-Committees including, Historic Overlay Review, Master Plan Review, High Risk Erosion, Traffic on River Street and many more, and


WHEREAS, Jan has been an active Member of the Planning Commission and always volunteered for extra activities, and

WHEREAS, Jan was appointed to serve as the Fourth District Council Member on June 18, 1996.

NOW, THEREFORE, BE IT RESOLVED that the City of Manistee Planning Commission would like to thank Janice Gavlinski for her dedicated service to the City of Manistee Planning Commission.

Roger Yoder, Chairman

Jon R. Rose, Code Administrator



CONSIDERATION OF CREATING A PLANNING COMMITTEE, M-55 PROPERTY.

On Friday, June 7 the City received formal notice from Senator McManus's office that the Michigan Department of Natural Resources had taken action to release a reverter on 200 acres of the City's M-55 property. This property is located in Section 8 of Manistee Township, immediately south of the Oaks Correctional Facility on both sides of the highway.

Minutes, 6/18/96 Page 5

The City's request to the DNR for the release of their reverter anticipated using the property for economic development purposes; most likely the development of a new industrial park. This property is expected to provide space for the community's industrial expansion for many years. Proper planning and layout is essential to ensure that the property is used to its highest and best use.

An ad hoc planning committee to develop a master plan is recommended. The committee could include the County Planner; the Director of the EDO Office; the City Planner; two members from the City Planning Commission; two members from the City Council and two or three members from Manistee Township. Because the property is located in Manistee Township it will be necessary to ensure that planning and zoning issues are acceptable to Manistee Township. A proposal has been solicited from the City Engineer on the cost of working with the committee in the creation of a master plan including a site plan and cost estimates for utilities and other infrastructure.

A MOTION was made by Fortier, seconded by Jankowski to create an hoc planning committee for the M-55 property, including the County Planner, the Director of the EDO, the City Planning Official, two members to be named by the Planning Commission, two or three members to be named by Manistee Township and two Council volunteers, and one official from the Village of Eastlake. All voting in favor, 6-0.

June 17, 1996

TO:

Parks Commission

FROM:

R. Ben Bifoss, City Manager

**SUBJECT**:

Skateboards

In response to continuing requests, we contacted the insurance carrier again regarding skateboards. Previous contacts had indicated a special liability rider would be required with a minimum \$100,000 deductible. As you will note on the attached memorandum from Dale Picardat, the insurance company has substantially changed their position.

We continue to receive requests regarding locations for skateboards. That may be an appropriate topic for consideration by the Parks Commission. Please review the attached and provide any input you may have regarding this issue. Thank you.

RBB:cl

Enclosure

cc. Homer Ramsdell, Parks Foreman Jon Rose, Planning Commission

# MEMORANDUM

TO:

R. Ben Bifoss

FROM:

Dale L. Picardat

DATE:

June 3, 1996

SUBJECT:

Skateboards - your memo dated May 22, 1996

Talked to Pete Kurak and he said the insurance company has changed position on skateboarding in City designated areas. No longer a special premium for it. We do need to do the following:

- 1. Designate an area for skateboarding.
- 2. Signage i.e.
  - a. Skateboard designated area.
  - b. No permanent skateboard ramps.
  - c. Portable skateboard ramps will be removed.

The City of South Lyon has already initiated this type program which is endorsed by Meadowbrook Insurance. The contact is Rod Cook, City Manager, phone number 810-437-1735.

South Lyon has set up areas for different events in conjunction with the school system on an old play ground. It includes a skateboard area, roller blade hockey rink plus others. They do not allow leaving portable ramps on the field, if left their, they are disposed of. However, the city just build a cement ramp about 18 inches high. Designed after one built by the

City of Libby Montana 185 Airfield Libby MT.

As a result, insurance carrier is backing off of ramp construction in the skateboard area.

Item of concern at both South Lyon and Libby is not "liability" problems but vandalism and influx of kids from neighboring cities/areas.

Rollerblading is considered as no different than joggers as far as insurance is concerned.

Pete Kurak said he would send a letter saying that "skateboarding" is no longer considered as additional premium coverage event.

cc:

Jack Garber

Homer Ramsdell

June 5, 1996

Planning Commission C/O Jon Rose 70 Maple Street Manistee MI 49660

Dear Planning Commission Members:

I am writing this letter to request that the Planning Commission place on there agenda for an upcoming meeting, to consider selling a parcel of property that is owned by the City of Manistee.

My husband and I own Lot 7 Block 5 Green's Addition to the City of Manistee, which is located at 79 Poplar Street. We are interested in purchasing that portion of Lot 13 Block 6 from the North line of our property line to the South line of Water Street, which would be approximately 25 ft. This vacant parcel is currently owned by the City of Manistee.

Thanking you in advance for your consideration in this matter.

Sincerely


Kendra Rohd\*

enclosure

cc: Ben Bifoss



# evis on page 16 of today's Dally ITEWS



LUDINGTON, MICHIGAN

FRIDAY, MAY 13, 1994

# Gas leak forces some residents from their homes By CHUCK STAFFORD and CHERYL HIGGINSON Daily News Staff Writers

A ruptured gasket let gas escape from a pumping station on Fisher Road, near the Victory Corner Road intersection shortly after midnight today. It led to the evacuations of some Victory Township residents and sent four people to area hospitals where they were treated for gas

inhalation symptoms and released following the 12:15 a.m. incident. The facility, owned by Manistee

Gas Limited, collects the gas, which includes potentially deadly hydrogen sulfide gas, from area wells and sends it to a processing facility in Brown

Township, in northeast Manistee

County.

"Actually a small amount of gas escaped," said Mason County fire chief Ron Pedersen. "We thought at the very beginning it was actually really major but it turned out not to

"There really was never any need for evacuation. There were several people who left their homes, probably more because of the smell than the actual danger. The smell is bad but there wasn't any danger. The concentration wasn't high enough because the gas pipeline company responded and got it shut off quick

About a four-inch line with 950 pounds of pressure was leaking, Pederson. The company

problem. The Mason County Sheriff Department was notified by Dow Chemical Company security at 12:35 a.m. after residents called Dow erroneously thinking the smell was from a Dow well.

"By the time everybody responded and closed the road in the mile section, the gas company was already there and had it shut off," Pedersen said. "What we thought was going to be a major incident actually turned out to be quite minor and actually cleared in an hour or so. In that kind of situation you treat it as the worst case scenario first."

Basin Pipeline Company was the


responding company.

"From what I understand, the automatic valves sensed the pressure fluctuations and had already shut off. What really just leaked was the gas in the line between the two places it shut off at," Pedersen said. "The pipeline company assured us there wasn't any danger."

Nevertheless, four people went to area hospitals to be treated for gas inhalation

Mrs. Anthony Mazur, 2465 N. Victory Corners Road, was treated and released at Memorial Medical Center.

other people were Three transported to West Shore Hospital in Manistee, according to information given to the Mason County Sheriff Department.



# ates expected

he expected to know the first round of regulations under the ow the new formula 1992 federal cable act, part of which Table Vision rates by went into effect Sept. 1, 1993.

nattern block the activities tivities to all i and helpful n, according



the second story, rerooting and use con an apartment and that expansion of parking and installation of a cleaning station at the municipmarina were going well.

stribution and 1 Service has and 4 p.m. at waste transfer site fees the same as last year. The

ngton, 49431; 9304; Branch

lary is between nt alien status scement will be and graduated of the United

mark up clerk rk machine, flat Postal Service

ssert at a cost of 1001 cafetorium. is sponsoring an

; dinner or if you should be directed

sion, and the men's skating and hockey Intact Bob Dobbs at ; this past skaling ected new officers ident; Bob Dobbs, hockey, with the

3 Road near the Groth ; Stiles Road and U.S. ind finally stopped the motor vehicle while he sheriff department he of intoxicants. ing a police officer officers initiated the

# Pentwater Township transfer fees to remain same The Pentwater Township board agreed to keep the with a village attorney Gary Nicholson and a After discussing the MichCon renewal contract Joseph McDonald, to issue a quitclaim deed on

township spent nearly \$10,000 to operate the site operation. The board will take a look at it for last year and revenues met less than half the cost of the matter until the June meeting. representative of the gas company, the board tabled Larry Konopka, who is representing Mr. and Mrs. The board also tabled a request from attorney

belonging to the state, then by the township and parcel had been split by the highway and since has more recently as unknown. been listed on the tax rolls the last few years as

# another year before increasing the fees. D Z

it could not be confirmed through the Manistee hospital if the three had been Their names were not available and (Continued from page 1)

evacuated, David Shimel, said the situation was "pretty scary." One of about 50 residents

put my bike up on the porch of the house," Shimel told the Daily News hissing noise and the next thing I this morning. "I heard a very loud knew my brother-in-law came there was a gas leak and they were whipping in the driveway and said "I went outside about 12:30 a.m. to

evaluating people. her mother's house in town for the the kids and the cat, and we went to "I went back in and grabbed Lisa,

night," Shimel said. remember anything like this Township all his life, said he doesn't Shimel, who has lived in Victory

smelled really bad," Shimel said. His happening before. home is about a block away from the pumping station, which he said was "We could smell the gas and it

Chris Hinkle, who lives at 3309 Fisher Road, right across the road put on-line this past winter. wife, three children and their dog. from the station, also evacuated his "It's been a problem since it went

on line, from steady noise to gas burn-

off with the flame going 30 to 40 feet high, all night," Hinkle said. "It's been bright enough to play baseball by."

had the proper building permit from Hinkle said he doubts the company

Victory Township. "It's got three big diesel engines

and it is very loud," Hinkle added. for the past week, but said it was Hinkle said he had noticed the odor

particularly strong Thursday. number, no way to contact the company," Hinkle said. "When you 'Danger' but there is no telephone call MichCon they say all they do is supply the gas, and are not involved with the company. "There is a sign there that says

passing MichCon driver how serious it wearing their masks and suits," Hinkle was and he said they would be "When we were leaving I asked a

Hal Fitch of the Department of Natural Resources Geological Survey to someone working on it. be harmful off the site. Right at the concentrations ever got high enough to leak there would have been concerns Division," but we don't think that The gas is sour gas, according to

there there wasn't concentrations high not know the levels of concentration." enough to be a health hazard. We may According to Fitch, monitors that "But as far as the residences around

site at eight parts per million. workers carried detected levels at the

which you can work for eight hours without breathing apparatus." "Ten parts per million is levels at Fitch

sufery precaution. gear with breathing apparatus as a Pipeline employees put on safety

at the residences," Fitch said. "Levels probably didn't exceed that

deadly, according to Fitch, and some of the wells in the area have real high Gas containing hydrogen sulfide is

hydrogen sulfide content. "In this case it diluted before it got to any point where it could do any hirm," Fitch said.

serious," said Duane Emil of Manistec sources of gas were shut on the was secured by Basin Pipeline Co. Clas Limited at Manistee. "The facility emergency services personnel and all "It is something we are taking very

pipeline. gasket between two flanges on one side of a mainline valve and some of the gas did continue to escape between the two valves that were shut in. There into the atmosphere and we are doing was obviously some gas that escaped some estimates on the amount that "Unfortunately it appears it was a

precautionary measure of evacuating was released." Gas company personnel took the

Pedersen.

the immediate area of the site so as to catastrophes beyond that. avoid any potential injuries or

a.m. and the cleanup procedure The facility was secured by 1:30

completed. according to Emil, and to their knowledge there was only the one The facility has been shut down

what caused the gasket to fail. "There are no injuries that we are An investigation is continuing into

aware of," Emil said. Residents were notified at 2 a.m.

that it was safe to return. "Whenever company personnel are

sulfide gas they wear protective working in the presence of hydrogen equipment until the site is secured,

sulfur dioxide which still has an odor hydrogen sulfide and is converted to but is non-hazardous, according to The flare is used to burn off

Hamlin Township Fire department

responded to the scene. and Scottville were placed on standby. Ludington's command center, with they got started, according to the cellular phones and multifrequency radios, were paged, however, were turned back before Pere Marquette Township, Grant

ACCIDENT OCCURRING IN VICTORY TOWNSHIP FARMING COMMUNITY Victory 32 Compressor Station on Fisher Road-6 Miles N of Ludington May 12 and 13, 1994

# CAUSE & STUDY QUESTIONS

- 1. Defective flange gasket
- 2. Dames & Moore study-p.20-refers to "several reported incidents" of gasket failure
- 3. Gasket failures are weakest link in chain, therefore, common. The Three-mile Island accident was a "gasket failure"
- 4. Dames & Moore study admits-p.2-they cannot assess the "reliability" or "vulnerability" of "fittings, bends, joints, flanges, valves, etc.." because "...detailed design information...appears to be unavailable."
- 5. Dames & Moore did not look at the weak links in the system proposed for the Manistee neighborhoods.

### THE ACCIDENT

- 1. May 12, 1994 between 11:15 & 11:30 p.m.-Citizens awoke to what they described as a Lear jet taking off & a strong gas smell. Others woke with headaches & found themselves unable to breathe; choking, gagging, & dizzy.
- 2. Neighbors phoned neighbors.
- 3. Dow Chemical was called but could do nothing as they no longer owned the facility.
- 4. Self-evacuation began as breathing became difficult & vomiting began.
  Wet towels were used over faces to get to vehicles.
- 5. Air was described as thick, heavy and yellow.
- 6. The Biemers, living 500 ft. from the facility, could not see to the end of their driveway.
- 7. Some were fearful of causing an explosion if they started their vehicles.
- 8. 911, the Sheriff, Police, Fire Dept. were called but had no knowledge of what to do and advised residents to get out.
- 9. May 13, 12:15 a.m.-1 hr. later- John Stalmack was located by phone. He told Hank Yeager that he "could not recommend evac. without knowing what existed in the immediate area & if Mr. Yeager felt it was a threat to his safety, he should take necessary steps to protect himself.
- 10. Evacuation continued in a 1/2 mile radius.
- 11. Mrs. Mazure, in this radius, with heart and respiratory problems was taken by her husband & son to the hospital where she received emergency treatment.
- 12. 12:35 a.m the wind was out of the west at 4-5 mph.
- 13. 1:05 a.m. a security guard from Dow Chemical and a Ludington fire fighter volunteered to block traffic and attempted to rouse and evacuate people.
- 14. 1:28 a.m. the wind switched and was from the north at 3-4 mph.
- 15. 1:48 a.m. the wind switched again and was from the NE at 6-8 mph.
- 1:30 a.m. Mr. Stalmack arrived (2 1/4 hrs. after the onset of the leak) & manually closed "a valve on the pig launcher and also closed the valve "downstream: of the meter-run...on the west side of the ...building...(which) secured the source of emission...." The H2S levels were 8-10 ppm at Fisher and N. Victory Corners Road. \_\_\_\_\_ mile from the Station.

- 17. 2 a.m. People crossing the Lincoln River Bridge on Jebavy Drive, 4-1/2 miles southwest of the Station drove through a thick, dense cloud with a strong rotten egg odor. The H2S cloud had settled into the Lincoln River valley and had followed it downstream.
- 18. Approximately 9 a.m. \_\_\_\_ miles from the Station in a southeasterly direction from the Station, students who were watching the eclipse on the WSCC campus left the campus feeling nauseated and dizzy, but had no idea why.
- 19. 8 a.m. one mile away from the Station, due south, all members of the Nickleson family awoke with headaches and nausea. Their son with asthma had problems breathing. They didn't know why and went to school and work as usual except the mother, who runs the Nickleson Day Care Center out of her home.
- 20. 10:30 a.m. eight hours after the valve had been shut, four children, ages 13 months to 4 years arrived at the Nickleson home. Upon entering the basement play area. 3 year old Jacob Hernandez collapsed unconscious. 2 year old JoAnne Anderson, usually active and vibrant upon entering the playroom, lay down on the floor and fell asleep—needing to be roused, and woke but in an extreme state of lethargy. 4 year old Joe Conklin, an asthmatic, had immediate difficulty breathing, vomiting and abdominal pain. 13 month old Claire Paxton fell into a state of extreme lethargy and was overtaken by sleep. All four children were rushed to the Ludington Memorial Hospital. The diagnosis on all four children's hospital reports is: "H2S exposure."
- 21. Sometime mid-afternoon, May 13 Farmer Frank Bates, 3/4 mile southwest of the Substation, went to check on his cattle who had wandered down to the Lincoln River valley. 10 of them were dead. The vet ruled the cause of death as "respiratory failure."

\*Excerpts from Dana Schindler's letter to the Manistee City Council at the Work Session on the study done by Dames & Moore.